

EnduraFloor by Laminex™

Particleboard Flooring

Range Brochure



**Proudly
Australian
Made**

Structural Particleboard Flooring

EnduraFloor by Laminex Particleboard Flooring is made from a moisture resistant particleboard and features an easy to use tongue and groove system that gives the flooring remarkable strength in between joists. EnduraFloor by Laminex Particleboard Flooring can be used on timber, laminated timber and steel framed building constructions including fitted floor, upper storey and platform construction.

Product Range


EnduraFloor by Laminex Particleboard Flooring has a plain, raw core colour with a green wax edge seal to all edges. There are three product thicknesses each identified by the colour of their PVC tongue:

- Green tongue (19mm) – For use with floor joists spaced at 450mm
- Beige tongue (22mm) – For use with floor joists spaced at 600mm
- Brown tongue (25mm) – For commercial applications


EnduraFloor by Laminex Particleboard Flooring is also available in a Termite Treated option (identified with red wax sealed edges).



General Purpose
Green Tongue - 19mm



General Purpose
Beige Tongue - 22mm



General Purpose
Brown Tongue - 25mm



Termite Treated
Green Tongue - 19mm



Termite Treated
Beige Tongue - 22mm

Superior moisture resistance

Unlike many particleboards, EnduraFloor by Laminex Particleboard Flooring is manufactured using wood particles which are encapsulated in resins ensuring the moisture resistance is distributed throughout the floor panel. Even when left exposed to the elements for up to five months (applies only to 900mm wide panels) EnduraFloor by Laminex Particleboard Flooring is guaranteed to meet the required standards (if guidelines are followed).

Made Tough

Built to Go

the Distance

Availability Guide:

TYPE	SUBSTRATE	THICKNESS	SHEET SIZE	COLOUR DESCRIPTION	PRODUCT CODE	PACK SIZE
PARTICLEBOARD FLOORING	PB GREEN TONGUE	19	1195 x 800	General Purpose	994098	35
			1795 x 800	General Purpose	983724	35
			3600 x 800	General Purpose	787842	35
				Termite Treated	794431	35
			3600 x 900	General Purpose	986338	30
				Termite Treated	986339	30
	3600 x 1200	General Purpose	787843	25		
		Termite Treated	794432	25		
	PB BEIGE TONGUE	22	3600 x 800	General Purpose	787845	25
				Termite Treated	840326	25
			3600 x 900	General Purpose	986340	30
				Termite Treated	986341	30
	3600 x 1200	General Purpose	787846	25		
		Termite Treated	794434	25		
PB BROWN TONGUE	25	3600 x 600	General Purpose	862056	20	

Proudly Australian Made

Proudly made in Australia for Australians, EnduraFloor by Laminex Particleboard Flooring has been designed and made tough to provide protection against extreme Australian weather conditions.

Standards & relevant codes

Building Code of Australia

AS/NZS 1860.1 – Particleboard Flooring Part 1 Specification.

AS 1170.1 SAA – Loading Code, Dead and Live Loads and Load Combinations.

AS 1860.2 – Particleboard Flooring Part 2 Installation.

AS 1884 – Floor Coverings – Resilient Sheet and Tiles - Laying and Maintenance Practice.

AS 3740 – Waterproofing of Wet Areas Within Residential Buildings.

For further information and guidelines, scan the QR code to view the EnduraFloor by Laminex Fabrication & Installation Guide.





Visit us

For more information visit laminex.com.au

Call Us

For trade enquiries 132 136

EnduraFloor by Laminex™ is manufactured, marketed and distributed by Laminex Group Pty Limited ABN 98 004 093 092, trading as Laminex. The colours and finishes for all imagery and product swatches in this brochure may vary due to manufacturing processes and photographic lighting. For an accurate representation of the product, please view a physical sample. Please obtain a copy of the terms and conditions of the applicable warranties from laminex.com.au. All warranties are in addition to any rights that may exist under the Australian Consumer Law. EnduraFloor by Laminex™

The content of this document is intended as a guide only and its use in any respect is strictly at your own risk. While Laminex has taken all reasonable care in producing this document, Laminex makes no representations or warranties, express or implied, as to the accuracy, reliability or completeness of the information. We recommend that you seek independent advice to determine the suitability of any product or information for your intended application. To the extent permitted by law, Laminex disclaims all liability (including liability for negligence) for all loss, damage, liability or claim resulting from the use of the information provided in this document. Liability which cannot legally be excluded is limited to the maximum extent possible.

Copyright in this document is owned by Laminex Group Pty Limited (Laminex). All rights reserved. You must not use, copy, disclose or distribute the content of this document without Laminex' prior written permission.

Copyright © 2023, Laminex Group Pty Limited

LAM4889 | LMX0180 02/2023