

# Contents

Sustainability	4
Application Index	6
Protec+ Antimicrobial Technology	8
Large Format Commercial:	12
Decorwood®	18
Laminex AbsoluteMatte®	22
Fireguard® Décor	24
Multipurpose Compact Laminate	28
Laboratory Compact Laminate	36
Alfresco Compact Laminate	38
Cut-to-size Compact Laminate	42
Waterloo™ Partitioning Systems	44
Chemical Resistant Laminate	46
Metallic Laminates	48
CustomArt™ Surfaces	50
Writable Surfaces	52



# Sustainability

As a proud Australian manufacturer, sustainable practices are an important part of our manufacturing capabilities. Through partnerships with government and industry we will continue to pursue and test new innovations in sustainable and environmental practices.

#### GreenTagCert™ Certification

Global GreenTag is a Product Sustainability Certification, Product Health & Environmental Product Declaration Program Operator relevant to all of the major green building rating tools in the world including;

- LEED® (167+ countries)
- International WELL™ Building Standard (60+ countries)
- Green Star® Australia, New Zealand and Africa (56+ countries)
- Green Globes® (21+ countries)
- BREEAM® & BREEAM® International (78+ countries)
- EarthCheck® (70+ countries)
- LOTUS
- Infrastructure Sustainability 'IS' Tool

#### **Timber Certification**

As one of Australia's largest manufacturers of wood products, Laminex supports responsible forest management and is committed to producing quality products from quality materials that are backed by globally recognised certifications. We source our raw materials from suppliers who have been independently verified as compliant to chain of custody standards, meaning that materials are produced using wood fibres sourced from certified sustainably managed forests to Responsible Wood/PEFC (Programme for the Endorsement of Forest Certification) Certifications.

Our manufacturing facilities hold their own PEFC certifications. This means all certified wood products from these facilities can be traced from plantation to final manufactured product.

#### Sustainable Manufacturing Initiatives

Laminex Australia also maintains ISO 14001 Environmental Management System certification for all manufacturing sites and is progressively embarking on a number of waste and emission reduction initiatives to reduce our overall environmental impact.







Find all of our documentation, certificates and reports at laminex.com.au/about-us/sustainability



# **Application Index**

	Counters\Benchtops	Cabinetry	Wall Linings	Ceiling Linings	Toilet Partitions	Shower Partitions	Lockers	Bench Seating	Commercial Furniture
Large Format Commercial		$\checkmark$	$\checkmark$	✓	$\checkmark$		<b>√</b>		$\checkmark$
Decorwood							<b>√</b>		$\checkmark$
AbsoluteMatte HPL	$\checkmark$		$\checkmark$	<b>√</b>			<b>✓</b>		$\checkmark$
AbsoluteMatte Panels		<b>√</b>	$\checkmark$	✓			<b>√</b>		$\checkmark$
Fireguard Décor			$\checkmark$	✓					
Multipurpose Compact Laminate	✓	<b>√</b>	$\checkmark$	<b>√</b>	$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Laboratory Compact Laminate	$\checkmark$	<b>√</b>	$\checkmark$						$\checkmark$
Alfresco Compact Laminate	$\checkmark$	<b>√</b>	$\checkmark$						$\checkmark$
Waterloo Partitioning Systems					$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	
Chemical Resistant Laminate	$\checkmark$	<b>√</b>							$\checkmark$
Metallic Laminates		<b>√</b>	$\checkmark$						
CustomArt Surfaces			✓	<b>√</b>			<b>√</b>		





Now more than ever, we understand the importance of maintaining hygiene in interior spaces we frequently touch such as cabinetry, countertops, tabletops and toilet and shower partitioning. Laminex has taken the lead with the introduction of Protec+, an antimicrobial surface technology that inhibits the growth of bacteria, fungus and now COVID-19 virus. Protec+ is now manufactured as standard into selected Laminex high-pressure laminate (HPL), including AbsoluteMatte HPL, as well as Laminex Multipurpose Compact Laminate, Laminex Aquapanel and Laminex Structural MR® MDF.

#### **Protec+ Fast Facts**

#### Peace of mind

Laminex Protec<sup>+</sup> properties do not wipe off or leach out of the surface. This gives you enhanced antimicrobial protection for the expected life of the surface.

#### Cleaner environments, everywhere

Laminex Protec<sup>+</sup> can be used to create a safer, cleaner environment anywhere, including hospitals, schools, hotels, shops, cafes, sport facilities and public toilets.

#### **Proven Effectiveness**

Laminex Protec<sup>+</sup> has been independently tested in accordance with a number of leading standards, including: ISO22196:2011, ISO 21702:2019, JIS Z2801 and ASTM G21, which measure antimicrobial activity, fungi resistance and COVID-19 virus resistance.

Brand	Product Family	Product Range	Protec+
		Standard	✓
	HPL	Chemical Resistant	✓
		AbsoluteMatte	✓
Laminex	Compact	Multipurpose Compact Laminate	✓
		Laboratory Compact Laminate	✓
		Alfresco Compact Laminate	✓
	Decorated Board	Structural MR MDF	✓



# Large Format Commercial: Laminex Structural MR® MDF

The Laminex Large Format Commercial Range comprises the most popular Laminex decors, in versatile 3600 x 1800 panels for applications such as cabinetry, wall panelling, partitioning and office furniture.

For demanding projects where surface hygiene and durability are required, the range is now also offered in Laminex Structural MDF. The robust MDF core provides superior impact resistance, with the 18mm version even featuring an extra high density core for up to twice the impact resistance of Laminex Vertiboard 18mm.

Laminex Structural MDF also includes Protec+ antibacterial and antifungal technology which has been proven effective against COVID-19, reducing the amount on the surface by 88% after 24 hours in independent testing (ISO 21702:2019).

#### **Technical Details**

Range	Structure	Vertiboard MR	
Substrate	High Density MDF	MDF	Particleboard
Thickness		25mm or 32mm	18mm, 25mm & 33mm
Protec+ Antimicrobial		-	
Enhanced Impact Resistance		-	
Finish		Natural/Flint, Chalk or Nuanc	
Colour	18 stocked, 32 Made to Order (MTO)	3 stocked, 47 Made to Order (MTO)	50 colours*
Panel Dimension	3600 x	1800mm	3600 x 1800mm
Moisture Resistance			Yes
Global Green Tag Certification			Yes
Limited Warranty		7 Years	
Made in Australia		Yes	
Recommended Applications		Low Traffic Public Spaces Low Touch Surfaces	

#### **ABS Edging**

	Width	21mm	22mm	23mm	29mm	38mm
Standard ABS Edging	Thickness	1mm	2mm		1mm, 2mm	2mm
Standard ABS Edging	Rolls	25m, 100m	100m		100m	100m
InvisiEdge® ABS Edging	Thickness			1.2mm		1.2mm
	Rolls			100m		25m

Note: Not all colours are stocked in all standard ABS and InvisiEdge Edging. Please refer to laminex.com.au for availability. Matching Edging for 33mm Made to Order options may attract higher minimum order and longer lead times.







Nuance



**Legend N** Natural Finish **F** Flint Finish **NU** Nuance Finish **C** Chalk

# Large Format Commercial: Laminex Vertiboard® MR E0 Particleboard

Laminex Vertiboard® is Moisture Resistant E0 Particleboard decorated both sides in a range of décors. It has been specially selected for today's Commercial and large scale projects. Vertiboard® is available in cost effective 3600mm x 1800mm panels, with thicknesses of 18mm, 25mm and 33mm in 4 different finishes. The range integrates with the Laminex Lamiwood® and Laminex Multipurpose Compact Laminate ranges.

Laminex Vertiboard is proudly made in Australia.

#### **Technical Details**

	MDF 25mm or 32mm					
Y						
	′es					
\						
'	Yes					
Natural/Flint, Chalk or Nuance						
18 stocked, 32 Made to Order (MTO)	3 stocked, 47 Made to Order (MTO)					
3600 x	1800mm					
)	/es					
)	/es					
7 Y	ears ears					
\	/es					
High Traffic Public Spaces High Touch Surfaces						
	Y 7 Y High Traffic					

Vertiboard MR
Particleboard
3600 x 1800mm
Low Traffic Public Spaces Low Touch Surfaces

#### **ABS Edging**

	Width	21mm	22mm	23mm	29mm	38mm
Standard ABS Edging	Thickness	1mm	2mm		1mm, 2mm	2mm
	Rolls	25m, 100m	100m		100m	100m
InvisiEdge® ABS Edging	Thickness			1.2mm		1.2mm
	Rolls			100m		25m

Note: Not all colours are stocked in all standard ABS and InvisiEdge Edging. Please refer to laminex.com.au for availability. Matching Edging for 33mm Made to Order options may attract higher minimun order and longer lead times.





<sup>\*</sup>Not all colours are stocked in 33mm. Refer to the Laminex National Availability Guide









Pillarbox

 Legend
 N
 Natural Finish
 F
 Flint Finish
 NU
 Nuance Finish
 C
 Chalk

# Large Format Commercial Range Availability Guide

	PRODUC	T RANGE			STRUCTU	IRAL MDF			VERTIB	OARD PARTICLI	BOARD
	AVAI	LABILITY		STOCKED			MADE TO ORDE	₹		STOCKED	
TYPE	THICKNI		18	25	32			32	18	25	33
É	COLOUR	CODE									
	Aries	079				N	N	N	F	F	F
	Battalion	042	_			F	F	F	F	F	F
	Black	460	F			NU -	F, NU	F, NU	F, NU	F, NU	F, NU
	Charcoal	461				F	F	F	F -	F	F
	Fossil	463				F	F	F	F	F	F
	Fox	080	_			N	N -	N	F -	F	F
νį	French Navy	8541	F				F		F	F	_
₹	Ghostgum	086	N				N	N	F	F	F
WHITES & NEUTRALS	Lava Grey	8538				N	N	N	N -	N	N
2 20 10	Moleskin	450				N	N	N	F	F	F
Ë	Olivine	161	N				N		N	N	
₹	Otway	1035	F				F		F	F	
	Oyster Grey	327	N				N	N	F	F	F
	Parchment	202				N	N	N	F	F	F
	Polar White	205	N	N				N	F	F	F
	Spinifex	8539	N				Ν		N	N	
	Terril	2297	F				F	F	F	F	F
	Tornado	081				F	F	F	F	F	F
	White	200	Ν	N	Ν	NU	NU	NU	F, NU	F, NU	F, NU
	Alaskan	334				N	N	N	N	N	N
	Black Birchply	8552				N, C	N, C	N, C	N, C	N, C	N, C
	Burnished Wood	602	Ν			NU	N, NU	N, NU	N, NU	N, NU	N, NU
	Calm Oak					N, C	N, C	N, C	N, C	N, C	N, C
	Classic Oak	8537	N, NU	N			NU	N, NU	N, NU	N, NU	N, NU
	Curly Birch	639				N	N	N	F	F	F
	Danish Walnut	643	Ν			С	N, C	N, C	N, C	N, C	N, C
	Dansk Maple	586				N	N	N	F	F	F
	Elegant Oak	078					N, C	N, C	N, C	N, C	N, C
	Fox Teakwood	8907				N, C	N, C	N, C	N, C	N, C	N, C
Ž	Lustrous Elm	274				N, NU	N, NU	N, NU	N, NU	N, NU	N, NU
<u> </u>	Milkwood	604				N	N	N	N	N	N
WOODGRAINS	Natural Walnut	068				N, C	N, C	N, C	N, C	N, C	N, C
≥	Oyster Linea	289				N, NU	N, NU	N, NU	N, NU	N, NU	N, NU
	Planked Urban Oak	9312				N, C	N, C	N, C	N, C	N, C	N, C
	Raw Birchply	8910	N			C	N, C	N, C	N, C	N, C	N, C
	Rock Maple	577				N	N	N	F	F	F
	Rural Oak	077				N, C	N, C	N, C	N, C	N, C	N, C
	Seasoned Oak	458				N, C	N, C	N, C	N, C	N, C	N, C
	Select Beech	612				N N	N N	N N	F	F	F
	Silver Ash	589				N	N	N	F	F	F
	Sublime Teak	288	N, C				N, C	N, C	N, C	N, C	N, C
	Young Beech	630	11, 0			N	N N	N N	F F	F F	F F
	Coastal Sunrise	1034				F	F	14	F	F	
	Golden Wattle	1034				F	F		F	F	
0	Moroccan Clay	150	F				F		F	F	
Z	·	486				N	r N	N	F	F	F
ACCENIS	New Graphite							IN	N		F
•	Pillarbox	438	F	_		N	N			N	
	Portsea	1031	٢	F		N.I.	N.I.	N.I.	F	F	NI
MINERALS	Zincworks Greystone	772				N	N	N	N F	N F	N F

Made to Order options attract a 10 unit minimum order quantity, 10 unit order multiple and 10 day production lead time. Matching Edging for 33mm Made to Order options may attract higher minimum order and longer lead times.

Legen

N Natural Finish

F Flint Finish

NU Nuance Finish

**C** Chalk



## **Decorwood®**

The Laminex Decorwood range is standard E0 MDF, decorated both sides in a range of décors. Available in 2400mm x 1800mm panels in either 18mm or 25mm thicknesses, Decorwood is a cost-effective decorated MDF panel suitable for loose commercial furniture like lockers and desks, particularly where a shark-nose edge is required.

Laminex Decorwood® is proudly made in Australia.

#### **Panels**

Product Offer	Finishes	Panel Dimensions	Thickness
Decorwood (Standard E0 MDF)	Natural, or Flint finish (varies by dècor)	2400mm x 1800mm	18mm 25mm

#### **ABS Edging**

	Width	21mm	22mm	23mm	29mm
Standard ABS Edging	Thickness	1mm	2mm		1mm, 2mm
	Rolls	25m, 100m	100m		100m
InvisiEdge® ABS Edging	Thickness			1.2mm	
	Rolls			100m	

Note: Not all colours are stocked in all standard ABS and InvisiEdge Edging. Please refer to laminex.com.au for availability. Matching Edging for 33mm Made to Order options may attract higher minimum order and language lead times

#### Laminex Decorwood® Features



Light Duty Horizontal



Vertical Application



Stain Resistant



Heat Resistant





UV Stable Indoor Use













Pillarbox Ν



## Laminex AbsoluteMatte®

Laminex AbsoluteMatte® is a super-matte, intriguingly tactile and fingerprintresistant surface suitable for benchtops and cabinetry. AbsoluteMatte features InvisiTouch®, a world-leading surface technology that delivers unrivaled fingerprint resistance and durability properties in an ultra-matte feel that invites the touch. Plus the laminate features antibacterial protection to ensure your surface stays looking smarter and cleaner for longer.

In a selection of solid colours in high pressure laminate or panels, the AbsoluteMatte range is the premium choice for a modern matte finish.

Laminex AbsoluteMatte<sup>™</sup> products are proudly made in Australia.

#### **Panels**

Product Offer	Finishes	Panel Dimensions	Thickness	Protec+
AbsoluteMatte Panel (MR E0 MDF)	AbsoluteMatte	2400mm x 1200mm 3600mm x 1200mm^	18mm & 25mm substrate thickness (18.6mm & 25.6mm finished panel thickness)	
AbsoluteMatte HPL	AbsoluteMatte	3600mm x 1500mm	0.7mm sheet thickness	✓
AbsoluteMatte Compact Laminate* *Refer to Page 32 for Availability.	AbsoluteMatte	3600mm x 1500mm <sup>^</sup>	13mm sheet thickness 18mm sheet thickness (Made to order)	<b>√</b>

Note: Not all colours are stocked in 25mm thicknesses. Please refer to laminex.com.au or the Laminex National Availability Guide for availability.

#### **ABS Edging**

Finish	Width	23mm	29mm	38mm	<b>42</b> mm
AberlutaNeste	Thickness	1mm	1mm	1mm	1mm
AbsoluteMatte	<b>Rolls</b> 25m, 100m 100m	100m	25m, 100m	25m, 50m	
Invisit des Edeine	Thickness	1.2mm	-	-	-
InvisiEdge Edging	Rolls 100m -	-	-	-	

<sup>^</sup>Selected colours, refer to laminex.com.au

#### AbsoluteMatte Features



Application



Application



Fingerprint Resistant



Antimicrobial\*



Resistant



Resistant



Water Resistant



Resistant



Indoor Use









# Fireguard<sup>®</sup> Décor

Perfect for Ceiling and Wall Lining applications, this Group 2 fire rated Moisture Resistant, Medium Density Fibreboard is decorated on both sides with a hardwearing melamine surface. With excellent fire retardant and machining properties, Fireguard Décor is ideally suited for wall or ceiling applications. Offered in a practical Grey Core, in 16 popular décors, the Laminex Fireguard® Décor range will create a unique design feature in any Commercial space.

All décors are available in either a 2400 x 1200 x 12mm sheet for ceiling linings or a  $3600 \times 1200 \times 18$ mm sheet for wall linings.

In addition to the stocked offer, the full range of Laminex Colour Palette colours can be supplied as Laminex Fireguard Décor in the sheet size/thickness options listed below. Lead Times and Minimum Quantities apply and are detailed below.

Laminex Fireguard® Décor is proudly made in Australia

#### **Availability**

Laminex FireGuard Décor	9mm	12mm	16mm	18mm	Applications
2400mm x 1200mm	SOE	V	SOE	SOE	Ceiling Lining
3600mm x 1200mm	SOE	SOE	SOE	V	Wall Lining
	✓	SOE	Lead Time	Minimum Order Quantity	
	Stocked	Special Order Enquiry	25 Day ex. Plant	9mm - 60 Sheets	12mm-18mm - 40 Sheets



#### Laminex Fireguard Décor Features



Fire Resistant



Moisture Resistant MDF



Light Duty Horizontal



Vertical Application



Stain Resistant



Tactile



UV Stable





LegendNNatural FinishFFlint FinishCChalkNUNuance

Laminex Fireguard Décor is a certified Group 2 material, in accordance with AS 5637.1. You must ensure your specific installation method, or alterations made to the panels, achieves the group rating required for your application.

# Décor Feature | The Laminex Plywood Series

Laminex Plywood Décors have been painstakingly designed to deliver the authentic appeal of real plywood with the hard-wearing performance of Laminex.

#### Benefits of Laminex Décors Plywood Laminate over plywood

The laminex performance characteristics – durability, cleanability and ease of maintenance, stain resistance, UV resistance and colour stability – are the most obvious reasons for specifying Laminex Plywood Décors over real ply, but there are others. Installation is much simpler, for example, because the laminated panel is pre-finished, there's no lacquering or staining; it just has to be cut to size and edged.

Laminex manufactures Plywood Laminate locally in Australia which creates a supply chain and cost advantage, compared to the imported plywood materials that can have logistic issues.



Raw Birchply N C



Black Birchply N. C.



Smoked Birchply N. C.




Weathered Ply N C



Multiplex Raw Birchply Edging



Multiplex Black Birchply Edging



Multiplex Smoked Birchply Edging



Natural Multiplex Edging

#### **Matching Plywood Edging**

To make your specification seamless Laminex have developed different types of multiplex plywood edging to match each décor.

For full technical details, refer to the Technical Support Information available at laminex.com.au

Chalk



# Multipurpose Compact Laminate

Laminex Multipurpose Compact Laminate is beautiful in appearance and highly resilient. It's extremely scratch, wear, stain, moisture and impact resistant, all backed by a 10 year limited warranty. This thick, versatile, self-supporting laminate panel is suitable for a variety of internal applications and is ideal for use in public and leisure spaces, such as public amenities/bathrooms, as well as furniture requiring design durability.

Laminex Multipurpose Compact Laminate is proudly made in Australia.

#### **Technical Details**

Compact Laminate	Multipurpose	Multipurpose	Laboratory	Alfresco
Finish	Natural, Nuance or Chalk	AbsoluteMatte	Carbide	Carbide
Colour	46 colours*	16 colours	7 colours	11 colours
Decorated	Double Sided	Double Sided	Double Sided	Double Sided
Core	Black	Black	Black	Black
Thickness	13mm or 18mm*	13mm or 18mm*	13mm or 16mm	13mm
Panel Dimension	3600 x 1800mm	3600 x 1500mm	3600 x 1500mm	3600 x 1500mm
Chemical Resistance	-	-	130+ Chemicals Tested	-
UV Resistance	Indoor Rated	Indoor Rated	Indoor Rated	Covered outdoor areas
Electron Beam Cured Surface	-	Yes	Yes	Yes
Protec+ Antimicrobial	Yes	Yes	Yes	Yes
Graffiti Resistance	-	-	Yes	-
Global Green Tag Certification	Yes	Yes	Yes	Yes
Limited Warranty	10 Years	10 Years	10 Years	7 Years
Made in Australia	Yes	Yes	Yes	Yes

<sup>\*</sup>All Multipurpose colours stocked in 13mm. Select colours also stocked in 18mm (refer to Laminex Availability Guide). Any Multipurpose colour can be made-to-order in 18mm with a 21 day lead time (ExPlant) and a minimum order quantity of 6 sheets.

#### **Laminex Multipurpose Compact Laminate Features**



Horizontal Application



Vertical Application



Stain Resistant



Antimicrobial



Water Resistant



Tactile



UV Stable Indoor Use



Resistant



Scratch


















Pillarbox N

LegendNNatural FinishNUNuance FinishCChalkAMAbsoluteMatte



# Multipurpose Compact Laminate Laminex TrueScale™


Featuring no repeat in the print for the entire length and width of a sheet.



Calacatta Majore TrueScale™ N



Premio Carrara TrueScale™



Luxe Elba TrueScale™



Marmo Grigio TrueScale™ N



# Multipurpose Compact Laminate AbsoluteMatte® Finish

Available now in Laminex Multipurpose Compact Laminate, AbsoluteMatte is a super-matte, intriguingly tactile and fingerprint-resistant surface. Advanced new technology delivers fingerprint resistance, plus antibacterial protection to ensure your surface stays looking smarter and cleaner for longer.

Laminex Multipurpose Compact Laminate in AbsoluteMatte® Finish is proudly made in Australia.

#### **Technical Details**

Compact Laminate	Multipurpose	Multipurpose	Laboratory	Alfresco
Finish	Natural, Nuance or Chalk	AbsoluteMatte	Carbide	Carbide
Colour	46* colours	16 colours*	7 colours	11 colours
Decorated	Double Sided	Double Sided	Double Sided	Double Sided
Core	Black	Black	Black	Black
Thickness	13mm or 18mm	13mm or 18mm*	13mm or 16mm	13mm
Panel Dimension	3600 x 1800mm	3600 x 1500mm	3600 x 1500mm	3600 x 1500mm
Chemical Resistance	-	-	130+ Chemicals Tested	-
UV Resistance	Indoor Rated	Indoor Rated	Indoor Rated	Covered outdoor areas
Electron Beam Cured Surface	-	Yes	Yes	Yes
Protec+ Antimicrobial	Yes	Yes	Yes	Yes
Graffiti Resistance	-	-	Yes	-
Global Green Tag Certification	Yes	Yes	Yes	Yes
Limited Warranty	10 Years	10 Years	10 Years	7 Years
Made in Australia	Yes	Yes	Yes	Yes

<sup>\*</sup>A select range of AbsoluteMatte colours are stocked in 13mm Multipurpose Compact (see next page). All AbsoluteMatte colours can be made-to-order as Multipurpose Compact with a 21 day lead time (ExPlant) and a minimum order quantity (MOQ) of 6 sheets. 18mm Multipurpose Compact in any AbsoluteMatte colour is also available with the same lead time and MOQ.

#### Laminex AbsoluteMatte Compact Laminate Features



Horizontal Application



Vertical Application



Fingerprint Resistant



Antimicrobial



Stain Resistant



Resistant



Water Resistant



Scratch Resistant



UV Stable Indoor Use









## **Stocked**

Stocked in 13mm. Available in 18mm as MTO.











Otway AM

Terril AM

French Navy

Black AM

# Made to Order


Available in 13mm or 18mm as MTO.













Surf AM

Paper Bark AM

Spinifex AM

Green Slate AM











Pewter AM

Stormcloud AM

Moroccan Clay AM

Kalamata AM

# Laboratory Compact Laminate

Worktops are a critical element of laboratory furniture and the selection of material used is vital to the efficient and effective functioning of the laboratory environment. Laminex Laboratory Compact Laminate is the premium choice for vulnerable surfaces, with superior moisture, wear and chemical resistant properties. With machinability similar to that of hardwood, it's a versatile material that can easily incorporate sinks, drip-cups and tap-holes.

Laminex Laboratory Compact Laminate is proudly made in Australia.

#### **Technical Details**

Compact Laminate	Multipurpose	Multipurpose	Laboratory	Alfresco
Finish	Natural, Nuance or Chalk	AbsoluteMatte	Carbide	Carbide
Colour	46* colours	16 colours	7 colours*	11 colours
Decorated	Double Sided	Double Sided	Double Sided	Double Sided
Core	Black	Black	Black	Black
Thickness	13mm or 18mm	13mm or 18mm	13mm or 16mm*	13mm
Panel Dimension	3600 x 1800mm	3600 x 1500mm	3600 x 1500mm	3600 x 1500mm
Chemical Resistance	-	-	130+ Chemicals Tested	-
UV Resistance	Indoor Rated	Indoor Rated	Indoor Rated	Covered outdoor areas
Electron Beam Cured Surface	-	Yes	Yes	Yes
Protec+ Antimicrobial	Yes	Yes	Yes	Yes
Graffiti Resistance	-	-	Yes	-
Global Green Tag Certification	Yes	Yes	Yes	Yes
Limited Warranty	10 Years	10 Years	10 Years	7 Years
Made in Australia	Yes	Yes	Yes	Yes

<sup>\*</sup>All Laboratory Compact colours stocked in 13mm. Select colours also stocked in 16mm (refer to Laminex Availability Guide). Any Laboratory Compact colour can be made-to-order in 16mm with a 21 day lead time (ExPlant) and a minimum order quantity of 6 sheets.

#### **Laminex Laboratory Compact Laminate Features**



Horizontal Application



Vertical Application



Stain Resistant



Chemical Resistant



Water Resistant



Tactile



UV Stable Indoor Use



Impact Resistant



Scratch Resistant







Laminex Laboratory Compact Laminate features an Electron Beam Cured (EBC) surface for enhanced chemical resistance and hygienic properties.

Tested against 130+ chemicals, including Silver Nitrate, making this surface suitable for both horizontal and vertical applications in spaces that require the use of harsh chemicals or vigorous cleaning regimes.

It resists acids, alkalis, corrosive salts and other destructive or staining substances, and is graffiti resistant.



# Alfresco Compact Laminate

Laminex Alfresco Compact Laminate will inspire you to spend more time outdoors. With outstanding resilience and sophisticated style, this durable compact laminate opens up even more outdoor design possibilities. Specifically created for covered outdoor areas exposed to the elements, it's a revolution in outdoor living. Allowing seamless design integration between interior and exterior areas.

Laminex Alfresco Compact Laminate is proudly made in Australia.

### **Technical Details**

Compact Laminate	Multipurpose	Multipurpose	Laboratory	Alfresco
Finish	Natural, Nuance or Chalk	AbsoluteMatte	Carbide	Carbide
Colour	46* colours	16 colours	7 colours	11 colours
Decorated	Double Sided	Double Sided	Double Sided	Double Sided
Core	Black	Black	Black	Black
Thickness	13mm or 18mm*	13mm or 18mm*	13mm or 16mm*	13mm
Panel Dimension	3600 x 1800mm	3600 x 1500mm	3600 x 1500mm	3600 x 1500mm
Chemical Resistance	-	-	130+ Chemicals Tested	-
UV Resistance	Indoor Rated	Indoor Rated	Indoor Rated	Covered outdoor areas
Electron Beam Cured Surface	-	Yes	Yes	Yes
Protec+ Antimicrobial	Yes	Yes	Yes	Yes
Graffiti Resistance	-	-	Yes	-
Global Green Tag Certification	Yes	Yes	Yes	Yes
Limited Warranty	10 Years	10 Years	10 Years	7 Years
Made in Australia	Yes	Yes	Yes	Yes

. Note: Not all colours stocked in all thicknesses but available MTO. Please refer to the Laminex National Availability Guide.

### **Laminex Alfresco Compact Laminate Features**



Horizontal Application



Vertical Application



Stain Resistant



Heat Resistant



Water Resistant



Impact Resistant



Scratch Resistant



Covered Outdoor Use







Laminex Alfresco Compact Laminate delivers superior moisture, wear, UV and weather resistance. Its distinctive black core eliminates the need for edge treatment and serves as a striking design feature. Available in 11 décors it's a low maintenance alternative to wood and other outdoor products.





# **Discontinued Specialty Compact Laminate**

Laminex is proud to be the only manufacturer of Laminate and Compact Laminate in Australia, having recently expanded our locally made Compact Laminate offering to replace our previously imported Laboratory and Alfresco grade ranges. As a result, we are offering clearance pricing on remaining stocks of our discontinued Laboratory, Alfresco and XR Grade compact Laminate ranges. Contact Laminex for up-to-date pricing and availability.



(13mm)



Cosmic Grey



Cosmic White

Cosmic Black





Lunar Dust

Astro

### Laboratory

(16mm)





Ashen

Night Shadow

### Alfresco (6mm & 13mm)



Stone





Manganese

Mortar







Sawn Lumber

Split Cedar

Brushed Beam

Bespeckled Grey

# Cut-to-size Compact Laminate

The Laminex cut-to-size offer is a hassle-free, ready-to-install compact laminate panel solution. This service easily allows customers and tradespeople to use compact laminate for a variety of internal and external applications, and is ideal for large or small projects, from alfresco kitchens - including doors, panels & benchtops, to restaurant tabletops, laboratory benchtops and doors, and loose commercial furniture.

### Pay for only what you need

Panels are customised and charged on a square metre rate, you only pay for what you need. No minimum order applies to this offer.

### No additional delivery fees and convenient lead time.

Regardless of the order size or location, you are only charged with the standard Laminex 'first order of the day' fee. From when your order is accepted, our standard lead time is only 10 business days plus delivery. For larger orders, the standard lead time may be impacted. We will inform you of your new lead time once it is entered into the system.


### **Superior Quality Substrates**

Cut-to-size Compact Laminate is available in all grades of Laminex Compact Laminate, which are proudly Australian made. All substrates are Global GreenTag certified and feature Protec<sup>+</sup> Antimicrobial Technology for added protection and peace of mind.

### No need for specialty equipment

There is no need for specialist cutting and lifting equipment, as the compact laminate panels are custom made - including the option of routering and predrilling for handles and hinges - to meet your design needs.

### **Edge Profiles**



### Warranties:

Laminex Multipurpose Compact Laminate - 10 years Laminex Laboratory Compact Laminate - 10 years Laminex Alfresco Compact Laminate - 7 years Scan here for order/ quote form.









For full technical details, refer to the Technical Support Information available at **laminex.com.au**For all Cut-to-size Compact Laminate enquiries please email us at **CutToSize@laminex.com.au** 



# Waterloo™ Partitioning Systems



Laminex Waterloo Partitioning Systems will give you a quality complete fitout that will be admired for years to come. Laminex Waterloo is made from high quality Australian Made Laminex substrates, backed by 85 years of expertise for quality you can trust. Assembled locally in Australia using only Global GreenTag certified Laminex substrates, the Laminex Waterloo range includes Shower and Toilet Partitions, Locker Systems, Vanities, Seating, Privacy Panels and Wall Panels. These can be customised for applications ranging from offices, retail spaces, health care facilities, educational facilities, sports and recreation venues and everywhere in between.

### Why use Laminex Waterloo Partitioning Systems?



### **National Coverage**

- National distribution coverage
- Nationwide approved referral installation network
- National sales & after sales support



### **Superior Quality**

- Made from quality Laminex substrates with Global GreenTag certification
- Quality and durable system designs including:
  - Reinforced aluminium head rails for system strength
  - Anodised aluminium hardware & stainless steel screws
  - Rounded panel/door edges for added safety measures
- In-house design & manufacturing with total control of the process from start to finish.



### **Antimicrobial Surface Technology**

 Laminex Multipurpose Compact Laminate and Structural MR MDF features Protec+ Antimicrobial Technology, which inhibits the growth of fungal, bacterial and COVID-19 virus properties.



### **Proud Australian Manufacturer**

- Assembled in regional Australia
- Made from Australian made substrates.



### **Superior Warranties & Guarantees**

- Laminex Compact Laminate Warranty 10 years
- Laminex Structural MR® MDF Warranty 7 years
- Partitioning Door Hardware Replacement Guarantee 5 years





# Chemical Resistant Laminate

Laminex Chemical Resistant high pressure laminate surfaces are designed to provide advanced protection against damaging chemicals in any number of harsh environments. Economical, durable, stylish and easy to maintain, the innovative laminate construction is intended for interior horizontal and vertical applications.

These surfaces feature improved chemical resistance to acids, alkalis, corrosive salt, and other destructive or staining substances. They're suitable for horizontal surfaces including counters, laboratory benches and tabletops. Ideal vertical surfaces include cabinets, casework fronts, wall splashback panels or screens.

Laminex Chemical Resistant Laminate is proudly made in Australia.

### **Technical Details**

Sheet Size	Thickness	Weight	Finish
3600mm x 1200mm	0.8mm (nominal)	1.0kg/m2 approx	Natural

### **Laminex Laboratory Compact Laminate Features**







Vertical Application



Stain Resistant



Chemical Resistant



Water Resistant



Heat Resistant



UV Stable Indoor Use



Impact Resistant



Scratch Resistant



Antimicrobia











## **Metallic Laminates**

The refined glamour of metallic surfaces and features is timeless. From brilliant accents to statement panelling, metallics bring drama and sophistication to any space.

Elevate commercial interiors with our innovative collection of radiant metallic surfaces, manufactured from real metal foils. Featuring tones found in the tapware, handles and hardware industry, this range has an option for all projects.

### **Technical Details**

Sheet Size	Thickness	Weight	Finish
2400mm x 1200mm	0.8mm to 1.3mm	1.5kg/m² approx (1mm)	Various

Note: Special fabrication requirements apply to Brushed Stainless Steel laminate. Not to be used in high humidity environments as corrosion of the metal foil may occur. Care should be taken with handling and fabrication as damage to the protective surface lacquer will lead to corrosion of the metal. Avoid metal to metal contact when using fittings; use a mastic or gasket to prevent metal to metal corrosion.

### **Laminex Metallic Laminates Features**



Application







### **CustomArt**<sup>™</sup> Surfaces

Laminex CustomArt Surfaces help you build exciting, dynamic and ever inspirational interiors. Made locally in Australia, they are custom built to ensure you achieve your ideal vision. Perfect for just about any internal application, you can choose a design from our exclusive collection of colours, patterns, photographs or text, or create your own unique palette or print. Whatever you decide, the result will be outstanding. So for eye catching doors, walls, benchtops, ceilings and more, explore the stunning possibilities with Laminex CustomArt Surfaces.

Laminex CustomArt Surfaces offer a range of laminate grades. This means they can be used for internal application.

### Standard Laminate (Xtra Grade)

CustomArt Xtra Grade is a general purpose laminate for interior applications, including benchtops, tabletops, furniture, wall murals, interior signage and exhibition displays. Its hard surface finish provides added durability against scratching, wear and graffiti. CustomArt Xtra Grade requires bonding to a suitable substrate prior to installation.

To learn more about the process visit laminex.com.au

### **Compact Laminate**

With enhanced durability and impact resistance, CustomArt Compact Laminate is the perfect solution for Custom furniture, lockers, tabletops and so much more.

### **Technical Details**

Sheet Size	Thickness	Weight	Finish
3600mm x 1200mm (nominal)	1.0mm (nominal)	1.7kg/m² approx	Natural
3600mm x 1200mm (nominal)	13mm	1.7kg/m² approx	

### **High Pressure Laminate (HPL) Features**



Horizontal Application



Vertical Application



Stain



Heat Resistant



Water



Scratch Resistan




UV Stable Indoor Us





ABOVE/BELOW: Wall Linings are Laminex CustomArt.
Project: Royal Adelaide Hospital. Architect: Silver Thomas Hanley. Artist: Annalise Rees. Photography: Steedform.



### Writable Surfaces

Laminex Writable Surfaces help you turn every day surfaces into dynamic zones for sharing and collaboration. The magnetic laminate panels have a decorative face which can be written on with a whiteboard marker and easily cleaned. With product options that include an embedded metal foil layer to ensure magnetic objects hold strongly to the surface, Laminex Writable Surfaces are the ultimate functional solution for creative spaces.

The Laminex Writable Surfaces range is perfect for school or university classroom walls, office wall or partitioning surfaces, meeting and board rooms and restaurant menu boards, tabletops and desktops.

#### **Technical Details** Thick-Write-Decorated **Product Dimensions** Recommended Finish Weight Post-(approx) Laminex Diamond Gloss Laminate High Pressure Single Horizontal Diamond 0.7mm Yes Νo 3595 x 1395mm 1kg/m<sup>2</sup> Laminate Sided Vertical Gloss Laminex Writable Magnetic Laminate High Pressure 2440 x 1220mm Single Laminate 1mm Νo 2.8kg/m<sup>2</sup> Sided 3050 x 1220mm Vertical Light Wear Gloss Yes High Pressure Horizontal Double 3000 x 1200mm Laminate on 18mm N/A 17.6kg/m<sup>2</sup> Sided 2400 x 1200mm E0 MR MDF Diamond Gloss Laminate Polar White White Ghostgum Super White Alabaster Aries Oyster Grey

Writable Magnetic Laminate

Glossy White



### Visit us

For location of your closest showroom or more information visit **laminex.com.au** 

### Product sample

For a sample visit laminex.com.au

#### Call Us

For trade enquiries 132 136

### Follow Us

- f facebook.com/Laminexau
- **p** au.pinterest.com/Laminexau
- instagram.com/Laminexau
- youtube.com/Laminexau

Laminex and Essastone® are manufactured, marketed and distributed by Laminex Group Pty Limited ABN 98 004 093 092, trading as Laminex. The colours and finishes for all imagery and product swatches in this brochure may vary due to paper, printing processes and photographic lighting. For an accurate representation of the product, please view a physical sample. Please obtain a copy of the terms and conditions of the applicable warranties from laminex.com.au. All warranties are in addition to any rights that may exist under the Australian Consumer Law. Laminex®, Impressions™, Essastone®, AbsoluteMatte®, DiamondGloss®, Silk™, AbsoluteGloss™.

The content of this document is intended as a guide only and its use in any respect is strictly at your own risk. While Laminex has taken all reasonable care in producing this document, Laminex makes no representations or warranties, express or implied, as to the accuracy, reliability or completeness of the information. We recommend that you seek independent advice to determine the suitability of any product or information for your intended application. To the extent permitted by law, Laminex disclaims all liability (including liability for negligence) for all loss, damage, liability or claim resulting from the use of the information provided in this document. Liability which cannot legally be excluded is limited to the maximum extent possible.

Copyright in this document is owned by Laminex Group Pty Limited (Laminex). All rights reserved. You must not use, copy, disclose or distribute the content of this document without Laminex' prior written permission.

Copyright © 2023, Laminex Group Pty Limited

LAM4889 | LMX0180 06/2023



